



BRITISH NOVA

SAFETY DATA SHEET

Page 1 of 3

NOVAWAYS

Data Sheet No. BN108

Revision 0
Revision date

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name NOVAWAYS
Data Sheet No. BN108

Company British Nova Works Ltd
Neville House
Beaumont Road
Banbury
Oxon
OX16 1RB
United Kingdom
sales@britishnova.co.uk
ww.britishnova.co.uk

Telephone 01295 254030

Fax 01295 254061

Emergency telephone number 01295 254030

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Disodium metasilicate	1-10%	6834-92-0	229-912-9	C; R34 Xi; R37
Fatty Alcohol Ethoxylate..	1-10%	68439-45-2		Xn; R22 Xi; R41

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Ingestion May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear suitable respiratory equipment when necessary.

NOVAWAYS

Data Sheet No. BN108

Revision 0
Revision date

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures Ensure adequate ventilation of the working area.

Hand protection Chemical resistant gloves (PVC)

Eye protection In case of splashing, wear: Approved safety goggles.

Protective equipment Wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid.

Colour Yellow.

Boiling point 100°C

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Heat. Direct sunlight. Do NOT allow to freeze.

11. TOXICOLOGICAL INFORMATION

Toxicological information No Significant Hazard.

12. ECOLOGICAL INFORMATION

Further information Do not flush into surface water.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

14. TRANSPORT INFORMATION

Further information The product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION

Risk phrases NSH - No Significant Hazard.

Safety phrases S2 - Keep out of the reach of children.
S24/25 - Avoid contact with skin and eyes.
S37 - Wear suitable gloves.

NOVAWAYS

Data Sheet No. BN108

Revision 0
Revision date

16. OTHER INFORMATION

Text of risk phrases in Section 3.

R22 - Harmful if swallowed.
R34 - Causes burns.
R37 - Irritating to respiratory system.
R41 - Risk of serious damage to eyes.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.



BRITISH NOVA

PRODUCT GUIDE FOR NOVAWAYS

All Purpose Cleanser

- This efficient, solvent-free-cleanser works well in hot, cold, hard or soft water. It has a broad range of applications.
- 'NOVAWAYS' can be used neat or in dilution, in conjunction with spraying equipment, with mopping systems or with floor scrubbing machines, etc.
- 'NOVAWAYS' has a wide range cleaning action. It is designed to provide the economical answer for removing greasy marks, surface dirt, food spillages, etc.

Recommended Uses

For use on floors, walls and other hard surfaces which water and alkaline cleansers will not harm, e.g. painted furniture, glass, metal, plastic, stone, etc.

Dilution Rates (Depending on degree of soil)

For Regular Maintenance	25 - 50 ml. per 5 litres of water
For Heavy Duty Cleaning	100 - 350 ml. per 5 litres of water

Directions for Use

Regular Floor Maintenance

May be used for mop maintenance, spray-buffing or machine scrubbing. Buffing with a floor polishing machine after use improves the lustre of floor finishes.

Renovation of Very Dirty Floors

Using hot water, apply solution and allow to soften the dirt. Scrub floor and rinse thoroughly with clean water.

Cleaning of Paintwork, Plastic Laminates, etc.

Apply solution with a sprayer, water-absorbent brush, sponge, cloth, etc. Allow it to soften the dirt, wipe and rinse off. Where smooth flat areas such as walls, are being cleaned, use of a special squeegee can considerably speed up and improve results.

Cleaning of Painted Metal Furniture, Stainless Steel, Plastic, Porcelain, Venetian Blinds, Light Fittings, Plastic Upholstery, etc.

Spray or wipe solution onto surface and allow it to soften the dirt. Wipe clean, rinse off.

PRODUCT GUIDE FOR NOVAWAYS

Recommended Cleaning and Maintenance of Safety Flooring

e.g. POLYFLOOR'S 'POLYSAFE', 'ALTRO SAFETY FLOORING' etc.

Large Areas - Using a Floor Scrubbing Machine

1. Vacuum or sweep the floor thoroughly to remove all dust and debris.
2. Use a floor scrubbing machine fitted with a scrubbing brush or a green nylon scrubbing pad - the latter is preferred. Dilute 250ml – 300ml of 'NOVAWAYS' All Purpose Cleanser per 5 litres of HOT water in a mop bucket. Apply solution to floor surface and allow 2-3 minutes for it to soften surface soil. Then scrub the floor and pick up slurry by mop. Rinse with clean water and allow to dry.

NB The frequency of Item 2 (floor scrubbing) will be determined by the nature and intensity of floor traffic. With severe traffic conditions this could be quite often, say once or twice a week. Between scrubbing operations, the floor should daily be swept and damp mopped with a solution of 'NOVAWAYS' in warm or hot water (250ml per 5 litres of water) attending, if necessary, to any black heel marks by hand using a green nylon hand pad.

Small Areas - Without Using a Floor Scrubbing Machine

The procedure is the same as when using a machine except that the floor scrubbing (Item 2) obviously requires to be done manually using a deck scrubbing brush, or preferably a Doodlebug.

Doodlebug is an attachment that fits on to any standard broom handle. A universal swivel head lets the Doodlebug twist and turn to reach any cleaning area. On the face of the Doodlebug, exclusive 'Insta-lok' material has unique plastic bristles which grip and hold a 'Scotchbrite' Doodlebug nylon cleaning pad securely in place - without clamps or fixing gadgets of any kind. Pad changing is simple: press - it's on ... pull - it's off'.

Note

British Nova accepts no liability for problems encountered when using its products alongside those manufactured by its competitors.



British Nova Works Limited, Neville House, Beaumont Road, Banbury, Oxon OX16 1RB
Tel 01295 254030 Fax 01295 254061 Email sales@britishnova.co.uk www.britishnova.co.uk
British Nova Works Products are manufactured under a Quality System approved to ISO 9001.

