

# FOOD PLANT AND OVEN CLEANER

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 10/03/2021 Version: 10.4

Generated: 10/03/2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : FOOD PLANT AND OVEN CLEANER

UFI : TRM3-A0JG-S00M-7UT4

Product code J002 Type of product Detergent

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Oven and Grill Cleaner, Drain cleaner

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

**SELDEN RESEARCH LIMITED** SELDEN EUROPE B.V.

STADEN LANE WATERMOLEN 13 BUXTON DERBYSHIRE SK17 9RZ 6229 PM MAASTRICHT NEDERLAND UNITED KINGDOM

Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk

## 1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226 Tel: 00 32 16 53 07 96

Tel: 00 32 16 53 07 96

Email: info@selden.eu

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1A H314 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Danger

Contains : sodium hydroxide; caustic soda; potassium hydroxide; caustic potash

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Document generated @ 10/03/2021 15:54:33 Page 1 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)

: P264 - Wash hands thoroughly after handling.

P280 - Wear face protection, protective gloves, protective clothing.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P315 - Get immediate medical advice/attention.

P405 - Store locked up.

#### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name   | Product identifier  | %       | Classification according to<br>Regulation (EC) No.<br>1272/2008 [CLP] |
|--|---|---------|---|
| sodium hydroxide; caustic soda<br>substance with national workplace exposure limit(s)<br>(IE, GB)      | (CAS-No.) 1310-73-2<br>(EC-No.) 215-185-5<br>(EC Index-No.) 011-002-00-6<br>(REACH-no) 01-2119457892-27 | 15 – 30 | Skin Corr. 1A, H314   |
| potassium hydroxide; caustic potash<br>substance with national workplace exposure limit(s)<br>(IE, GB) | (CAS-No.) 1310-58-3<br>(EC-No.) 215-181-3<br>(EC Index-No.) 019-002-00-8<br>(REACH-no) 01-2119487136-33 | 5 – 10  | Acute Tox. 4 (Oral), H302<br>Skin Corr. 1A, H314                      |

| Specific concentration limits:      |   |   |
|-------------------------------------|---|---|
| Name                                | Product identifier  | Specific concentration limits   |
| sodium hydroxide; caustic soda      | (CAS-No.) 1310-73-2<br>(EC-No.) 215-185-5<br>(EC Index-No.) 011-002-00-6<br>(REACH-no) 01-2119457892-27 | ( 0.5 ≤C < 2) Skin Irrit. 2, H315<br>( 0.5 ≤C < 2) Eye Irrit. 2, H319<br>( 2 ≤C < 5) Skin Corr. 1B, H314<br>( 5 ≤C ≤ 100) Skin Corr. 1A, H314 |
| potassium hydroxide; caustic potash | (CAS-No.) 1310-58-3<br>(EC-No.) 215-181-3<br>(EC Index-No.) 019-002-00-8<br>(REACH-no) 01-2119487136-33 | ( 0.5 ≤C < 2) Skin Irrit. 2, H315<br>( 0.5 ≤C < 2) Eye Irrit. 2, H319<br>( 2 ≤C < 5) Skin Corr. 1B, H314<br>( 5 ≤C ≤ 100) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation

First-aid measures after skin contact

- : Get medical advice/attention if you feel unwell.
- : Remove person to fresh air and keep comfortable for breathing.
- : Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get immediate medical advice/attention.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion

: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

Document generated @ 10/03/2021 15:54:33 Page 2 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Burns

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Burns.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Corrosive vapours.

#### 5.3. Advice for firefighters

No additional information available

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong acids.

Incompatible materials : Metals.

Special rules on packaging : Keep only in original container.

Document generated @ 10/03/2021 15:54:33 Page 3 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

| sodium hydroxide; caustic soda (1310-73-2)    |                  |  |
|---|------------------|--|
| Ireland - Occupational Exposure Limits        |                  |  |
| Local name                                    | Sodium hydroxide |  |
| OEL STEL                                      | 2 mg/m³          |  |
| United Kingdom - Occupational Exposure Limits |                  |  |
| Local name                                    | Sodium hydroxide |  |
| WEL STEL (OEL STEL)                           | 2 mg/m³          |  |

| potassium hydroxide; caustic potash (1310-58-3) |   |  |
|---|---|--|
| Ireland - Occupational Exposure Limits          |   |  |
| Local name                                      | Potassium hydroxide                                       |  |
| OEL STEL  | 2 mg/m³   |  |
| Regulatory reference                            | Code of Practice for the Chemical Agents Regulations 2018 |  |
| United Kingdom - Occupational Exposure Limits   |   |  |
| Local name                                      | Potassium hydroxide                                       |  |
| WEL STEL (OEL STEL)                             | 2 mg/m³   |  |
| Regulatory reference                            | EH40/2005 (Third edition, 2018). HSE                      |  |

#### 8.1.2. Recommended monitoring procedures

No additional information available

# 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

# 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):









## 8.2.2.1. Eye and face protection

Document generated @ 10/03/2021 15:54:33 Page 4 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Eye protection:

Face shield, EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

## **Hand protection:**

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

## Other skin protection

Materials for protective clothing:

Safety boots. PICM008

#### 8.2.2.3. Respiratory protection

## Respiratory protection:

Not required for normal conditions of use

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

No additional information available

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Liquid. Colour : brown. Odour odourless. : No data available Odour threshold

рΗ : 13

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available : No data available Freezing point

Boiling point : ≥ 100 °C

Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available : No data available Relative vapour density at 20 °C

Relative density : 1.36

Solubility : Soluble in water. : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available : No data available Oxidising properties Explosive limits : No data available

Document generated @ 10/03/2021 15:54:33 Page 5 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Metals. Acids.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Causes severe skin burns.

pH: 13

Serious eye damage/irritation : Causes serious eye damage.

pH: 13

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Document generated @ 10/03/2021 15:54:33

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| sodium hydroxide; caustic soda (1310-73-2) |                     |  |
|--|---------------------|--|
| LC50 - Fish [1]                            | > 35 mg/l           |  |
| EC50 - Other aquatic organisms [1]         | > 33 mg/l waterflea |  |

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

| sodium hydroxide; caustic soda (1310-73-2)      |       |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | -3.88 |

#### 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

No additional information available

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

# 14.1 UN number

UN-No. (ADR) : UN 1719 UN-No. (IMDG) : UN 1719 UN-No. (IATA) : UN 1719

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : CAUSTIC ALKALI LIQUID, N.O.S.
Proper Shipping Name (IMDG) : CAUSTIC ALKALI LIQUID, N.O.S.

Proper Shipping Name (IATA) : Caustic alkali liquid, n.o.s.

Transport document description (ADR)

: UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide), 8, II, (E)
Transport document description (IMDG)

: UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, II

Transport document description (IATA) : UN 1719 Caustic alkali liquid, n.o.s., 8, II

## 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



Document generated @ 10/03/2021 15:54:33 Page 7 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **IMDG**

Transport hazard class(es) (IMDG) : 8 : 8 Danger labels (IMDG)



#### IATA

Transport hazard class(es) (IATA) : 8 Danger labels (IATA) 8



## 14.4. Packing group

: II Packing group (ADR) : II Packing group (IMDG) Packing group (IATA) : II

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : C5 Special provisions (ADR) : 274 Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2

: P001, IBC02 Packing instructions (ADR) Mixed packing provisions (ADR) : MP15 Portable tank and bulk container instructions (ADR) : T11 Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR) : L4BN Vehicle for tank carriage : AT Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80

80 1719

:

Tunnel restriction code (ADR) : E EAC code : 2R

## Transport by sea

Orange plates

Special provisions (IMDG) : 274 Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T11 Tank special provisions (IMDG) : TP2, TP27 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 : 30L CAO max net quantity (IATA) : A3 Special provisions (IATA) ERG code (IATA) : 8L

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code : Not applicable.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

| Detergent Regulation (648/2004/EC): Labelling of contents: |     |
|--|-----|
| Component  | %   |
| non-ionic surfactants                                      | <5% |

## 15.1.2. National regulations

# **United Kingdom**

**British National Regulations** 

: Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH).

Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

Detergent Regulation (648/2004/EC).

# 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

| Full text of H- and EUH-statements: |  |  |
|-------------------------------------|--|--|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                      |  |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2          |  |
| Skin Corr. 1A                       | Skin corrosion/irritation, Category 1, Sub-Category 1A |  |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B |  |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                  |  |
| H302                                | Harmful if swallowed.                                  |  |
| H314                                | Causes severe skin burns and eye damage.               |  |
| H315                                | Causes skin irritation.                                |  |

Document generated @ 10/03/2021 15:54:33 Page 9 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| H318 | Causes serious eye damage.     |  |
|------|--------------------------------|--|
| H319 | Causes serious eye irritation. |  |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: |      |                    |
|---|------|--------------------|
| Skin Corr. 1A   | H314 | Calculation method |
| Eye Dam. 1  | H318 | Calculation method |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Document generated @ 10/03/2021 15:54:33 Page 10 of 10