


<b>SAFETY DATA SHEET</b>
Biological Laundry Powder

**SECTION 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING**

<b>1.1 Product Name</b>	Biological Laundry Powder			
<b>1.2 Other Names</b>	Windmill Biological Laundry Powder			
<b>SDS No</b>	0044	Rev Date:	13 <sup>th</sup> April 2026	Rev No: 1
<b>1.3 Application</b>	Laundry Powder			
<b>1.4 Supplier</b>	Auk Supplies Limited 7 Cavalier Road, Heathfield Industrial Estate, Newton Abbot, TQ12 6TQ			
<b>1.5 Emergency Contact Number</b>	01626 355177			

**SECTION 2. HAZARD IDENTIFICATION**

<b>Classification (EC1272/2008)</b>				
<b>2.1 Signal Word</b>	Warning			
<b>2.1 Classification</b>	Physical: Not classified Health: Eye Dam. 1 – H318 Environmental Not classified			
<b>Hazard Statements</b>	H318 – Causes serious eye damage.			
<b>Precautionary Statements</b>	P102 – Keep out of reach of children. P280 – Wear protective gloves/protective clothing/eye protection/face protection. P305+351+338 –IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P310 – Immediately call POISON CENTER or doctor/physician.			
<b>2.2 Labelling</b>				
	GHS07			
<b>2.3 Other Hazards</b>	EUH 208 – Contains perfume. May produce an allergic reaction. EUH 208 – Contains enzymes. May produce an allergic reaction.			

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixture				
Product	Product Identifier	%	Classification according to Regulation	Classification According to Directive
Sodium Carbonate	(CAS No) 497-19-8 (EC) 207-838-8	15-20	Eye Dam. 1: H318; Skin Irrit. 2: H315; Acute Tox. 4: H302	Xi; R36.
Sodium Percarbonate	(CAS No) 15630-89-4 (EC) 239-707-6	10-15	Ox Sol. 3, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	Xn; R22. Xi; R36, R38. O; R8
Sodium Metasilicate Pentahydrate	(CAS No) 6834-92-0 (EC) 229-912-9	<5	Skin Corr. 1B: H314 STOT SE3, H335	C; R34, Xi; R37
Sodium Alkyl Benzene Sulphonate	(CAS No) 85117-50-6 (EC) 285-600-2	<3	Acute Tox. 4, H302 1 Skin Irrit. 2, H315 Eye Dam. 1, H318	Xn;R22. Xi;R41,R38.
Alcoholthoxylates	(CAS No) 64425- 86-1	<3	Acute Tox. 4, H302, H318 Aquatic Acute 1, H400	Xn; R22. Xi; R41. N; R50
Alcohol Ethoxylates	(CAS No) 68439-45-2	<3	Acute Tox. 4, H302 Eye Dam. 1, H318	Xn; R22. Xi; R41
Amylase	(CAS No) 9000-90-2 (EC) 232-565-6	<1	Resp. Sens. 1 – H334	N/a
Lipase	(CAS No) 9001-01-1 (EC) 232-169-9	<1	Resp. Sens. 1 – H334	N/a
Subtilisin	(CAS No) 9014-01-1 (EC) 232-752-2	<1	Skin Irrit. 2 – H315; Eye Dam. 1 – H318; Resp. Sens. 1 – H334; STOT SE 3 – H335	N/a
Parfum'	N/a	<1	N/a	Xi; R43 ; R51/53

For the full text of the H-statements mentioned in this section, see section 16.

## SECTION 4. FIRST-AID MEASURES

4.1 Description of First Aid Measures	
Inhalation	Move exposed person to fresh air. Get medical attention
Ingestion	Get medical advice immediately! Do Not Induce Vomiting! Immediately rinse mouth and drink plenty of water
Skin Contact	Remove contaminated clothing immediately and wash with soap and water. Get medical attention immediately
Eye Contact	Immediately flush with plenty of water for up to 15 minutes. Remove contact lenses if safe and easy to do so, open eyes wide apart. Get medical attention immediately. Continue to rinse.
4.2 Most Important Symptoms and effects, both acute and delayed	
General Information	Symptoms described are dependent upon the concentration and exposure time
Inhalation	Possible irritation of throat, nose & airway
Ingestion	Irritation, possible burns to throat mouth and stomach
Skin Contact	Irritation to skin
Eye Contact	Possible serious eye damage
4.3 Indication of immediate medical attention and special treatment needed if necessary	

## SECTION 5. FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media Use:	
The preparation is not readily flammable, use fire-extinguishing media suitable for surrounding materials	
5.2 Specific Hazard arising from the chemical	
When heated in the case of fire, harmful or toxic gases may be produced	
5.3 Special protective actions for fire fighters	
Self contained breathing apparatus and full protective clothing must be worn	

## SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

- a. The wearing of suitable protective equipment (including personal protective equipment, see section 8 of this SDS) to prevent any contamination of skin, eyes and personal clothing.
- b. Provide sufficient ventilation.
- c. Follow precautions for safe handling described in section 7 of this SDS.

6.2 Environmental Precautions

Spillages of uncontrolled discharges into watercourses must be immediately alerted to the Environmental Agency or other appropriate regulatory body, without endangering individuals every effort should be made to prevent entrance to drains.

6.3 Methods and material for containment and clean up

Drains should be Bunded or capped to prevent entrance or damage.  
Ventilate well. Brush or vacuum up taking care not to create excessive dust. Place in suitable containers. Dilute area with copious amounts of water.

## SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid Spilling, skin and eye contact.  
Do Not Smoke In Work Area! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using, do not eat, drink or smoke.

7.2 Conditions for safe Storage, including incompatibilities

Keep containers tightly closed. Keep in original containers. Do not allow product to freeze, avoid extreme temperatures

7.3 Specific end use(s)

The identified use for this product is detailed in section 1.2.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Name	STD	Long Term			Notes
Sodium Carbonate	DNELs	10mg/m <sup>3</sup>			
Sodium Metasilicate	DNELs	1.55mg/m <sup>3</sup>			Inhalation
	WEL	TWA – 8 Hrs		STEL – 15 Min	

WEL= Workplace Exposure Limit

8.2 Appropriate engineering controls

Provide adequate ventilation

8.3 Individual protection measures, such as personal protective equipment (PPE)

**Respiratory Equipment** If ventilation is in sufficient, suitable respiratory protection must be provided.

**Hand Protection** PVC gloves are recommended.

**Eye Protection** Wear approved safety goggles.

**Other Protection** Wear rubber apron, wear rubber footwear.

Protective Equipment



## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties.

<b>This Product is a</b>	Mixture
<b>Appearance</b>	Granular Powder
<b>Colour</b>	White with coloured speckles
<b>Odour</b>	Pleasant

<b>Solubility</b>	Soluble in water		
<b>pH value</b>	9.5-10	<b>Solubility</b>	Soluble in Water
<b>Relative Density</b>	1.1		
<b>9.2 Other information</b>			

## SECTION 10. STABILITY AND REACTIVITY

**10.1 Reactivity**

None known

**10.2 Chemical stability**

Stable under normal conditions and use.

**10.3 Possibility of hazardous reactions**

None known

**10.4 Conditions to avoid**

Avoid excessive heat for prolonged periods of time

**10.5 Incompatible materials****10.6 Hazardous decomposition products**

When heated toxic and corrosive vapours may be formed

## SECTION 11. TOXICOLOGICAL INFORMATION

**11.1 Information on toxicological effects**

Toxicological information

We have not carried out any animal testing; therefore we have no toxicological data specifically for this product. The toxicological data, where provided by the raw material manufacture, can be made available on request.

## SECTION 12. ECOLOGICAL INFORMATION

**12.1 Toxicity**

We have not carried out any Aquatic testing; therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity data, where provided by the raw material manufacturer for the ingredients with aquatic toxicity can be provided on request

**12.2 Persistence and degradability**

Degradability: the surfactants used in this preparation are designed for disposal via normal foul water disposal methods

**12.3 Bioaccumulative potential**

This preparation does not contain any substance that is expected to be bioaccumulating

**12.4 Mobility in soil**

Not Known

**12.5 Results of PBT and vPvB**

This preparation does not contain and PBT or vPvB substances

**12.6 Other adverse effects**

Not Known

## SECTION 13. DISPOSAL CONSIDERATIONS

**13.1 Waste treatment methods**

The preparation is designed for disposal via foul drain after use. Large volumes to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local waste disposal authority. Clean used container and recycle.

## SECTION 14. TRANSPORT INFORMATION

This product is not classified as hazardous for transport, as per IATA, ADR & IMDG.

## SECTION 15. REGULATORY INFORMATION

<u>15.1 Safety, health and environmental regulations/legislation specific to the substance or mixture</u>
Guidance notes: Workplace Exposure Limits EH40
EU Legislation: Safety Data sheets prepared in accordance with REACH Commission Regulation (EU) No 453/2010 Packaging & Labelling of dangerous preparations. Ingredients are listed with classification under GHS / CLP – Regulation (EC) No 1272/2008 classification, ADR 2013
<u>15.2 Chemical Safety Assessment</u>
Not applicable this product is a mixture

## SECTION 16. OTHER INFORMATION

REV. No. REPL. SDS	1
Generated	13 <sup>th</sup> April 2026
SDS No.	08-100
SDS Status	OK
Approved	13 <sup>th</sup> April 2026
Notes	This information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.
	Full Text of H- and EUH-statements:
R8	Contact with combustible material may cause fire.
R22	Harmful if swallowed.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R37	Irritating to respiratory system.
R37/38	Irritating to respiratory system and skin.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R42	May cause sensitization by inhalation.
R43	May Cause sensitization by skin contact
R50	Very toxic to aquatic organisms.
R51/53	Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 3	Oxidizing Solids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity- single exposure, Category 3, Respiratory tract irritation.
H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation
H411	Toxic to aquatic life with long lasting effects
<b>END of SDS</b>	