

SAFETY DATA SHEET PROSHINE

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	PROSHINE
Product number	C503
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	A high solids metallised 'dry-bright' floor finish formulated to give a long lasting deep gloss shine on vinyl, linoleum, thermo-plastic, rubber, sealed wood, sealed cork, concrete, asphalt, terrazzo and other non-porous smooth floors coverings.
1.3. Details of the supplier of	f the safety data sheet
Supplier	www.prochem.co.uk Prochem Europe Ltd Oakcroft Road Chessington Surrey KT9 1RH Telephone: 020 8974 1515 (office hours 8am to 5pm Monday to Friday) Fax: 020 8974 1511 sales@prochem.co.uk
1.4. Emergency telephone n	umber
Emergency telephone	24 hr emergency number +44 1235 239670. Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held. For Republic of Ireland contact the NPIC: 01 837 9964 or 01 809 2566.
SECTION 2: Hazards identif	ication
2.1. Classification of the substance or mixture	
Classification (EC 1272/2000 Physical hazards	o) Not Classified
- Health hazards	Not Classified
Environmental hazards	Not Classified
Human health	Contact with solution may cause mild transient irritation to eyes and skin. Considered to be a low inhalation hazard at normal workplace temperatures. Ingestion may cause: irritation of mouth and throat.
Environmental	The product is expected to be biodegradable.
2.2. Label elements	
Hazard statements	EUH208 Contains TRIISOBUTYL PHOSPHATE. May produce an allergic reaction.

Precautionary statements	P102 Keep out of reach of children.
	P262 Do not get in eyes, on skin, or on clothing.
	P280 Wear protective gloves.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P313 Get medical advice/ attention.

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients			
3.2. Mixtures			
(2-Methoxymethylethoxy)propanol			1-5%
CAS number: 34590-94-8	EC number: 252-104-2	REACH registration number: 01- 2119450011-60-XXXX	
Substance with a Community workplace exposure limit.			
Classification			
Not Classified			
tris(2-butoxyethyl) phosphate			1-5%
CAS number: 78-51-3	EC number: 201-122-9		
Classification Not Classified	Clas -	ssification (67/548/EEC or 1999/45/EC)	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures		
4.1. Description of first aid	d measures	
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.	
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Never give anything by mouth to an unconscious person. Get medical attention.	
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact	Mild transient irritation.	
Eye contact	May cause temporary eye irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting measures		

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Water spray, dry powder or carbon dioxide.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. In case of spills, beware of slippery floors and surfaces. Wear rubber shoes with anti-slip soles.
6.2. Environmental precautions	<u>S</u>
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
6.4. Reference to other section	IS
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Keep out of the reach of children. Store in closed original container at temperatures between 5°C and 30°C.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	s/Personal protection
8.1. Control parameters	
Occupational exposure limits	
(2-Methoxymethylethoxy)propanol	
Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m³ Sk WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.	

8.2. Exposure controls

Protective equipment

T		
Appropriate e	engineering	Provide ade

Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Side shield safety glasses are recommended when handling this product.
Hand protection	It is recommended that gloves are made of the following material: Nitrile rubber. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.
Hygiene measures	Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
Respiratory protection	Not required in normal use. For situations where recommended exposure limits may be exceeded or where there is a risk of inhalation of fine spray mists, a suitable respirator face mask is recommended.

SECTION 9: Physical and chemical properties

9.1. Information on basic phys	ical and chemical properties
Appearance	Emulsion.
Colour	White.
Odour	Acrylic.
рН	pH (concentrated solution): 9
Initial boiling point and range	100°C
Flash point	Not applicable.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.017
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Viscosity	Viscous liquid.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity

9.1. Information on basic physical and chemical properties

10.1. Reactivity

Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemic	al stability	
Stability	arstability	Stable at normal ambient temperatures and when used as recommended.
-	lity of hazardous I	
Possibility of	-	Not determined.
reactions		
10.4. Condition	ons to avoid	
Conditions to	avoid	Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.
10.5. Incomp	atible materials	
Materials to a	avoid	Strong oxidising agents. Strong acids. Strong alkalis.
10.6. Hazard	ous decompositio	n products
Hazardous de products	ecomposition	Thermal decomposition or combustion products may include the following substances: Oxides of carbon.
SECTION 11	: Toxicological inf	ormation
11.1. Informa	tion on toxicologi	cal effects
Toxicological	effects	Inhalation may cause: Irritation of nose, throat and airway. Ingestion may cause: irritation of mouth and throat.
Skin corrosio		
Skin corrosio	n/irritation	Prolonged or repeated exposure may cause the following adverse effects: Mild transient irritation.
	damage/irritation damage/irritation	Contact with solution may produce mild transient irritation if not promptly rinsed.
Skin sensitisa Skin sensitisa		Contains Triisobutyl phosphate
Germ cell mu	Itagenicity	
Genotoxicity	- in vivo	No effects expected based upon current data.
Carcinogenic Carcinogenic	<u> </u>	No effects expected based upon current data.
Reproductive		
Reproductive	toxicity - fertility	No effects expected based upon current data.
Toxicological	information on in	gredients.
		(2-Methoxymethylethoxy)propanol
	Acute toxicity - or	
	Acute toxicity ora mg/kg)	I (LD₅∞ 5,135.0
	Species	Rat
	Acute toxicity - de	ərmal
	Acute toxicity der mg/kg)	mal (LD₅₀ 20.0

	Species	Rabbit	
SECTION 12	2: Ecological information	ation	
12.1. Toxicit	Y		
Toxicity		The product is not expected to be hazardous to the environment.	
Ecological in	formation on ingred	lients.	
		(2-Methoxymethylethoxy)propanol	
	Acute aquatic toxic	sity	
	Acute toxicity - fish	LC₅₀, 96 hours: >10000 mg/l, Fish	
	Acute toxicity - aqu invertebrates	latic EC₅₀, 48 hours: 1919 mg/l, Daphnia magna	
	Acute toxicity - aqu plants	atic IC₅₀, 72 hours: >969 mg/l, Algae	
12.2. Persist	ence and degradab	ility	
Persistence	and degradability	The product is expected to be biodegradable.	
Ecological in	formation on ingred	lients.	
		(2-Methoxymethylethoxy)propanol	
	Chemical oxygen o	lemand 2.02	
12.3. Bioacc	umulative potential		
Bioaccumula	tive potential	Not known.	
Partition coe	fficient	Not determined.	
Ecological in	formation on ingred	lients.	
		(2-Methoxymethylethoxy)propanol	
	Partition coefficient	t : 1.01	
12.4. Mobility			
Mobility		The product is soluble in water.	
-	s of PBT and vPvB a		
		This product does not contain any substances classified as PBT or vPvB.	
12.6. Other a	adverse effects		
Other advers	se effects	None known.	
SECTION 13	3: Disposal consider	rations	
13.1. Waste	treatment methods		
Disposal me	I	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.	
SECTION 14	1: Transport informa	tion	

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

None.

14.3. Transport hazard class(es)

ADR/RID class

IMDG class

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	REACH Regulation UK SI 2019/758, as amended, and UK SI 2020/1577. GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567. Detergents (Amendment) (EU Exit) Regulations UK SI 2020/1617. The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
General information	Telephone 020 8974 1515
Revision date	17/05/2021
Revision	3
Supersedes date	13/10/2014
Please note:	Where abbreviations have been used elsewhere the full text has been written below, for the classification of the product please refer to section 2.
Hazard statements in full	EUH208 Contains TRIISOBUTYL PHOSPHATE. May produce an allergic reaction.

Signature

Aaron Saunders

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.