Tel: 01626 355177
Email: info@aukhygiene.com



# 19mm D' Pull Handle Bolt Through Fix - Satin Stainless Steel - 300mm

**Variant code: 2005.19.300.BT.SSS**

**19mm D Pull Handle** is a premium architectural pull handle designed to provide reliable operation and a contemporary appearance for a wide range of internal and external doors. Manufactured from **Grade 304 stainless steel** with a **Satin Stainless Steel (SSS)** finish, it offers excellent corrosion resistance, durability and long-lasting performance, making it an ideal choice for both commercial and residential applications.

Featuring a **19mm diameter tubular profile**, this pull handle is available in **150mm, 225mm, 300mm, 425mm and 600mm lengths**, allowing you to select the most suitable size for your project. Each handle is supplied with **bolt-through fixings**, providing a strong and secure installation on timber, aluminium and metal doors. The bolt-through fixing method delivers enhanced stability, making the handle suitable for high-traffic environments while maintaining a clean, professional appearance.

Combining the strength of **Grade 304 stainless steel** with modern architectural styling, this D pull handle provides a durable, corrosion-resistant solution that coordinates perfectly with matching Satin Stainless Steel door furniture for a consistent, high-quality finish.

## Product Features

- **19mm diameter tubular D pull handle**
- Available in **150mm, 225mm, 300mm, 425mm and 600mm** lengths
- Supplied with **bolt-through fixings**
- Manufactured from **Grade 304 stainless steel**
- **Satin Stainless Steel (SSS) finish**
- Contemporary tubular architectural design
- Suitable for timber, aluminium and metal doors
- Strong and secure fixing method
- Corrosion-resistant construction
- Coordinates with matching stainless steel architectural hardware

Tel: 01626 355177
Email: info@aukhygiene.com

## Product Benefits

- Provides a comfortable and secure grip
- Multiple size options suit a wide variety of door applications
- Grade 304 stainless steel offers outstanding durability and corrosion resistance
- Bolt-through fixings deliver excellent strength and long-term stability
- Satin finish complements contemporary commercial and residential interiors
- Designed for frequent use in high-traffic environments
- Creates a coordinated architectural hardware solution
- Easy to install and maintain

## Technical Characteristics

- **Product Type:** D Pull Handle
- **Handle Diameter: 19mm**
- **Available Lengths: 150mm, 225mm, 300mm, 425mm, 600mm**
- **Fixing Method:** Bolt Through
- **Material:** Grade 304 Stainless Steel
- **Finish:** Satin Stainless Steel (SSS)
- **Application:** Internal & External Doors
- **Suitable Door Materials:** Timber, Aluminium & Metal

## Applications

The **19mm D Pull Handle** is ideal for **offices, hospitals, schools, hotels, retail premises, apartment buildings, public facilities and residential properties**. Suitable for **internal and external timber, aluminium and metal doors**, it provides a secure, durable and stylish pull solution. Available in **five lengths from 150mm to 600mm**, it offers flexibility for a wide range of architectural applications while maintaining a coordinated **Satin Stainless Steel finish** across modern door hardware installations.

| Property | Value |
|---|---|
| Warranty (Years) | 10 Year Mechanical Guarantee |
| Material | Grade 304 Stainless Steel |
| Finish | Satin Stainless Steel |
| Diameter (mm) | 19 |

Tel: 01626 355177
Email: info@aukhygiene.com

| Property | Value |
| --- | --- |
| Standards Tested | BS EN 1634-1 |
| Handle Type | D Pull Handle |
| Fire Rating | FD30–60 (Suitable for 30 & 60 minute timber fire doors) |
| Fixing Type | Bolt-Through Fixing |
| Rose Type | Push-On Stainless Steel Outer Rose with Stainless Steel Inner Rose |
| Fixings Included | 2 × M8 × 65mm Bolt-Through Fixings |
| Handle Centres (mm) | 300 |