Tel: 01626 355177
Email: info@aukhygiene.com



60 Grit Sandscreen Discs - 16"

Variant code: 03-6616-5

The **60 Grit Sandscreen Floor Sanding Discs** are coarse-grade abrasive screen discs designed for **floor sanding, wet scrubbing and surface preparation**. Manufactured with **silicon carbide abrasive**, these discs provide an aggressive sanding action for removing surface imperfections and preparing suitable floors for further refinishing. Available in **15" (381mm) and 16" (406mm)** diameters, they are suitable for professional floor maintenance and restoration.

The **abrasive screen construction** provides effective contact with the floor surface while allowing sanding dust and debris to pass through the mesh openings. The **60 grit abrasive grade** offers a coarse cutting action, making it particularly suitable for **initial sanding, surface levelling and preparation** before progressing to finer abrasive grades.

Designed for use with **compatible rotary floor machines** and suitable drive pads, these sandscreen discs can be used for **wet scrubbing or floor sanding**, depending on the surface and cleaning method. With a choice of **15-inch and 16-inch sizes**, operators can select the appropriate diameter for their equipment and floor maintenance requirements.

Product Features

- **60 grit silicon carbide abrasive** for coarse floor sanding and surface preparation
- Available in **15" (381mm) and 16" (406mm)** diameters
- **Abrasive screen construction** for effective floor sanding
- Suitable for **wet scrubbing and floor sanding**
- **Coarse abrasive grade** for initial sanding and surface refinement
- Helps remove **surface imperfections and suitable existing finishes**
- **Open-mesh design** allows dust and debris to pass through the disc
- Suitable for **floor preparation before finer sanding stages**
- Designed for use with **compatible rotary**

Tel: 01626 355177
Email: info@aukhygiene.com

floor machines
- Available in **two diameter options** to suit different equipment sizes

Product Benefits

- **Coarse 60 grit silicon carbide abrasive provides aggressive sanding action for initial floor preparation and refinishing**
- **Open-screen construction helps reduce clogging by allowing sanding dust and debris to pass through the abrasive surface**
- **Available in 15-inch and 16-inch diameters to suit different compatible rotary floor machines**
- **Versatile application** supports both wet scrubbing and floor sanding
- **Coarse abrasive action** helps remove suitable surface coatings and imperfections
- Provides an effective starting point for **multi-stage floor sanding processes**
- **Silicon carbide abrasive** delivers effective material removal on suitable surfaces
- Suitable for **professional floor restoration and maintenance**

Technical Characteristics

- **Product Type:** Sandscreen Floor Sanding Disc
- **Abrasive Grade:** 60 Grit
- **Grit Classification:** Coarse
- **Abrasive Material:** Silicon Carbide
- **Disc Construction:** Abrasive Mesh Screen
- **Available Diameters:** 15" and 16"
- **15" Diameter:** 381mm
- **16" Diameter:** 406.4mm
- **Primary Applications:** Floor Sanding and Wet Scrubbing
- **Additional Applications:** Initial Sanding and Surface Preparation
- **Machine Compatibility:** Appropriately Sized Rotary Floor Machines
- **Required Accessory:** Compatible Sandscreen Drive Pad
- **Available Variants:** 15" - 60 Grit and 16" - 60 Grit

Applications

The **60 Grit Sandscreen Floor Sanding Discs** are suitable for **coarse sanding, wet scrubbing and**

Tel: 01626 355177
Email: info@aukhygiene.com

surface preparation during professional floor maintenance and restoration. They can be used on compatible floor surfaces to help remove existing finishes, reduce surface imperfections and prepare flooring for subsequent sanding with finer abrasive grades. Available in **15" and 16" diameters**, these discs are designed for use with appropriately sized **rotary floor machines and compatible drive pads**. Always follow the flooring manufacturer's recommendations to ensure the abrasive grade and cleaning method are suitable for the surface being treated.

Property	Value
Pad Size	16 inches (406.4mm)