Tel: 01626 355177
Email: info@aukhygiene.com



Exeter Hand Dryer - High-Speed Automatic Hand Dryer - Silver

Variant code: 28-3702

Exeter Hand Dryer is a **high-speed automatic hand dryer** designed to deliver fast, hygienic and energy-efficient hand drying in busy commercial washrooms. Combining advanced air filtration technology with powerful drying performance, this modern hand dryer helps improve washroom hygiene while reducing paper towel waste and ongoing maintenance costs.

Powered by a **long-life brushless motor**, the Exeter Hand Dryer provides reliable and efficient operation with reduced maintenance requirements. The integrated **UV sterilisation system** and **double HEPA filtration** help remove airborne contaminants and improve hygiene by ensuring cleaner air is directed onto the hands during the drying process.

The dryer features two internal adjustment switches, allowing users to select between **warm or ambient airflow** and **high or low motor power**. This flexibility enables facilities managers to optimise performance, energy consumption and user comfort according to site requirements. A built-in **10-second countdown drying cycle** ensures rapid and consistent hand drying while helping minimise energy use.

To further improve washroom safety, the Exeter Hand Dryer incorporates a **700ml internal water collection tray**, capturing excess water before it reaches the floor. This helps reduce slip and trip hazards commonly associated with conventional hand drying methods. Finished in a stylish **silver ABS housing**, the unit complements modern washroom designs while providing exceptional durability.

Product Features

- **High-speed automatic hand dryer**
- Long-life **brushless motor**
- Integrated **UV sterilisation technology**
- **Double HEPA filtration system**
- Built-in **700ml water collection tray**
- Warm or ambient airflow selection
- High or low motor power settings
- Automatic **10-second drying cycle**

Tel: 01626 355177
Email: info@aukhygiene.com

Product Benefits

- **Provides fast, hygienic and efficient hand drying**
- **Helps reduce airborne contaminants through HEPA filtration**
- **Minimises water on floors to reduce slip hazards**
- Energy-efficient operation with adjustable settings
- Reduces paper towel consumption and waste
- Durable, low-maintenance design for high-traffic washrooms

Technical Characteristics

- Colour: **Silver**
- Material: **ABS Plastic**
- Motor Type: **Brushless Motor**
- Air Filtration: **Double HEPA Filter**
- Sterilisation: **UV Filter Technology**
- Water Tray Capacity: **700ml**
- Airflow Settings: Warm or Ambient
- Motor Power Settings: High or Low
- Drying Time: **10 Seconds**
- Dimensions: **W300 x H700 x D215mm**

Applications

Exeter Hand Dryer is ideal for **offices, schools, universities, healthcare facilities, leisure centres, hotels, restaurants, retail environments and public washrooms**. Its combination of high-speed drying, advanced filtration and integrated water management makes it particularly suitable for high-traffic washrooms where hygiene, safety and operational efficiency are essential.

Property	Value
Colour	Silver
Weight (kg)	11.3
Voltage	AC 220–240 V
Noise Level (dB)	70
Material	ABS Cover
Area of Use	Washrooms, toilets, restrooms, commercial washrooms, public washrooms, office facilities, hospitality venues, education facilities, healthcare facilities, and other hand-drying environments.
How to Use	Place hands into the drying area beneath the sensor. The no-touch sensor automatically activates the airflow. Move hands slowly through the airflow until dry, then remove hands to stop operation.

Tel: 01626 355177
Email: info@aukhygiene.com

Property	Value
Certification	CE Certified
Dimensions	W300 × H700 × D215 mm
Filter Type	Double EPA Filter
Frequency	50/60 Hz
Motor Type	Longlife Brushless Motor
Air Flow Type	Efficient, High-Speed Airflow
Dry Time	7-10 Seconds
Motor Speed	19,300 rpm
Air Speed	95 m/s
No Touch Sensor	Yes
Water Capture Tray (ml)	700
Switchable Power	Yes
UV Filter Sterilization	Yes
Power Rating (W)	700 / 1850
Energy Consumption	3.6 W Per Dry
IP Rating	IPX4