Tel: 01626 355177
Email: info@aukhygiene.com



Exeter Hand Dryer - High-Speed Automatic Hand Dryer - White

Variant code: 28-3701

Exeter Hand Dryer is a **high-speed automatic hand dryer** designed to provide fast, hygienic and energy-efficient hand drying in busy commercial washrooms. Combining advanced drying technology with enhanced hygiene features, this modern dryer delivers exceptional performance while helping to reduce paper towel consumption and washroom maintenance costs.

Powered by a **long-life brushless motor**, the Exeter Hand Dryer offers reliable, high-speed operation with low maintenance requirements. The integrated **double HEPA filtration system** and **UV sterilisation technology** help improve air quality by filtering airborne particles and reducing bacteria before air is directed onto the hands, supporting higher standards of washroom hygiene.

Designed for versatility and user comfort, the dryer features two internal control switches that allow users to select either **warm or ambient airflow** and **high or low motor power**, enabling performance and energy consumption to be tailored to individual requirements. A built-in **10-second countdown timer** ensures efficient drying cycles while helping minimise energy usage.

The integrated **700ml water collection tray** captures excess water during use, helping prevent water from reaching the floor and reducing potential slip hazards. Available in a durable **white ABS finish**, the Exeter Hand Dryer provides a stylish and practical solution for modern washroom environments.

Product Features

- **High-speed automatic hand dryer**
- Long-life **brushless motor**
- **UV sterilisation system**
- **Double HEPA air filtration**
- Built-in **700ml water collection tray**
- Warm or ambient airflow selection
- High or low motor power settings
- Automatic **10-second drying cycle**

Product Benefits

Tel: 01626 355177
Email: info@aukhygiene.com

- **Provides fast and hygienic hand drying**
- **Helps reduce bacteria and airborne contaminants**
- **Minimises water on floors, reducing slip hazards**
- Energy-efficient operation with adjustable settings
- Reduces reliance on paper towels and associated waste
- Long-life motor delivers reliable performance and reduced maintenance

Technical Characteristics

- Colour: **White**
- Material: **ABS Plastic**
- Motor Type: **Brushless Motor**
- Air Filtration: **Double HEPA Filter**
- Sterilisation: **UV Filter Technology**
- Water Tray Capacity: **700ml**
- Airflow Options: Warm or Ambient
- Power Settings: High or Low Motor Power
- Drying Cycle: **7-10 Seconds**
- Dimensions: **W300 x H700 x D215mm**

Applications

Exeter Hand Dryer is ideal for **offices, schools, universities, healthcare facilities, leisure centres, hospitality venues, restaurants, retail environments and public washrooms**. Its combination of rapid drying performance, advanced filtration and water management features makes it particularly suitable for high-traffic washrooms where hygiene, safety and operational efficiency are key priorities.

Property	Value
Colour	White
Weight (kg)	11.3
Voltage	AC 220–240 V
Noise Level (dB)	70
Material	ABS Cover
Area of Use	Washrooms, toilets, restrooms, commercial washrooms, public washrooms, office facilities, hospitality venues, education facilities, healthcare facilities, and other hand-drying environments.
How to Use	Place hands into the drying area beneath the sensor. The no-touch sensor automatically activates the airflow. Move hands slowly through the airflow until dry (approximately 7–10 seconds), then remove hands to stop operation.

Tel: 01626 355177
Email: info@aukhygiene.com

Property	Value
Certification	CE Certified
Dimensions	W300 × H700 × D215 mm
Filter Type	Double EPA Filter
Frequency	50/60 Hz
Motor Type	Longlife Brushless Motor
Air Flow Type	Efficient, High-Speed Airflow
Dry Time	7–10 Seconds
Motor Speed	19,300 rpm
Air Speed	95 m/s
No Touch Sensor	Yes
Water Capture Tray (ml)	700
Switchable Power	Yes
UV Filter Sterilization	Yes
Power Rating (W)	700 / 1850
Energy Consumption	3.6 W Per Dry
IP Rating	IPX4