Tel: 01626 355177
Email: info@aukhygiene.com



GreasePaK Biological Drain Maintenance Fluid - 3 x 5L

Variant code: 04-GP35

GreasePaK MSGD is a **biological drain maintenance fluid** developed to break down fats, oils and grease (FOGs) in commercial kitchen drainage systems. Its specialist **Multi Strain Grease Degrader (MSGD)** formulation uses naturally occurring microorganisms to degrade organic waste, helping prevent grease accumulation, reduce unpleasant drain odours and maintain free-flowing drainage systems.

The highly effective biological formulation contains **multiple strains of beneficial bacteria** that work alongside naturally produced enzymes to break down stubborn fats, oils, grease and starch deposits. Designed for use with compatible **GreasePaK automatic dosing systems**, the fluid is delivered into the drainage system at programmed intervals to support continuous preventative maintenance. Its **Class 1, biodegradable and non-hazardous formulation** provides an environmentally considerate alternative to harsh chemical drain treatments.

Each **5-litre fluid box** is designed for straightforward installation and replacement, featuring a **simple twist on/off connector** that helps prevent spills during handling. Supplied in a **master box containing 3 x 5L fluid boxes**, providing 15 litres in total, the product offers approximately **three months of drain maintenance fluid at standard dosing rates**. Ideal for busy commercial kitchens and catering facilities, it provides a convenient solution for ongoing grease management and drainage maintenance.

Product Features

- **Biological drain maintenance fluid** for commercial kitchen drainage systems
- **Multi Strain Grease Degrader (MSGD)** formulation
- **Highly effective FOG degradation** targets fats, oils and grease
- Contains **beneficial microorganisms** that help break down organic waste
- **Enzyme-producing bacterial formulation** supports the degradation of grease and starches

Tel: 01626 355177
Email: info@aukhygiene.com

- **Class 1 biological formulation** using naturally occurring, non-pathogenic microorganisms
- **Biodegradable and non-hazardous** under normal conditions of use
- **Environmentally considerate** alternative to aggressive chemical drain treatments
- Helps reduce **grease accumulation and recurring drainage blockages**
- Supports **odour control** within kitchen drainage systems
- Designed for **Mechline GreasePaK automatic dosing units**
- **Simple twist on/off connector** helps minimise spills during replacement
- **Easy-to-store 5L fluid boxes** for convenient handling
- Suitable for **preventative drain maintenance** and grease management
- **Three 5L boxes** supplied in one master box
- **Approximately three months' supply** at standard dosing rates

Product Benefits

- **Effective grease degradation** helps break down fats, oils and grease before excessive deposits accumulate
- **Reduced blockage risk** supports free-flowing commercial kitchen drains
- **Improved drain freshness** helps control unpleasant odours associated with organic waste
- **Biological cleaning action** provides ongoing treatment through beneficial microorganisms
- **Environmentally considerate formulation** supports responsible drainage maintenance
- **Non-hazardous classification** simplifies normal storage and handling requirements
- **Automatic dosing compatibility** reduces the need for frequent manual drain treatments
- **Spill-resistant connector** helps make fluid replacement cleaner and easier
- **Reduced grease maintenance demands** can help minimise avoidable drainage servicing
- **Suitable for grease management programmes** in professional catering environments
- **Convenient master box format** provides three replacement fluid boxes

Tel: 01626 355177
Email: info@aukhygiene.com

- **Long-lasting supply** supports approximately three months of standard dosing

Technical Characteristics

- **Product Range:** GreasePaK
- **Product Type:** Biological Drain Maintenance Fluid
- **Formulation Name:** Multi Strain Grease Degrader (MSGD)
- **Physical Form:** Liquid Biological Preparation
- **Biological Technology:** Multi-Strain Bacterial and Enzymatic Degradation
- **Microorganisms:** Naturally Occurring, Non-Pathogenic Bacteria
- **Biological Classification:** Hazard Group 1 Microorganisms
- **Hazard Classification:** Not Classified as Hazardous Under the Referenced Safety Data Sheet
- **Biodegradability:** Biodegradable Formulation
- **Primary Application:** Preventative Drain Maintenance and FOG Management
- **Target Deposits:** Fats, Oils, Grease, Starches and Organic Waste
- **Equipment Compatibility:** Compatible Mechline GreasePaK Automatic Dosing Systems
- **Dosing Method:** Automatic Dosing Through the GreasePaK Unit
- **Typical Dosing Schedule:** Daily, According to the Dosing Unit Settings
- **Individual Fluid Box Capacity:** 5L
- **Pack Quantity:** 3 Fluid Boxes
- **Total Pack Volume:** 15L
- **Packaging Format:** 3 x 5L Fluid Boxes in a Master Box
- **Connector Type:** Twist On/Off, Spill-Resistant Connection
- **Typical Supply Duration:** Approximately 3 Months at Standard Dosing
- **Typical Individual Box Duration:** Approximately 30 Days at Factory Dosing Setting 2
- **System Compatibility:** Can Support Standalone Drain Maintenance or Use Alongside Grease Management Equipment
- **Intended Use:** Professional Commercial Kitchen Drain Maintenance
- **Storage:** Store in a Cool, Dry Place Away from Direct Sunlight
- **Recommended Storage Temperature:**

Tel: 01626 355177
Email: info@aukhygiene.com

10–30°C
- **Shelf Life:** Minimum 18 Months When Stored According to Manufacturer Guidance
- **Handling:** Avoid Ingestion and Eye Contact; Follow the Product Safety Data Sheet
- **Precaution:** Use Only with Compatible Equipment and Follow Mechline's Operating Instructions
- **Product Distinction:** Preventative Biological Drain Maintenance Fluid, Not an Instant Drain Unblocker
- **Quantity:** 3 x 5L

Applications

Ideal for **biological grease degradation, drain maintenance and odour control** in commercial kitchen drainage systems. Suitable for **restaurants, hotels, cafés, takeaways, canteens and professional catering facilities** using compatible GreasePaK dosing equipment.

Property	Value
Fragrance	Pleasant
pH	4-5
Area of Use	Suitable for commercial kitchen drainage systems, waste pipes and grease traps to prevent grease build-up and control odours.
How to Use	Connect the bio-fluid box to the GreasePak dosing unit for automatic daily dosing to break down fats, oils and grease. Replace when empty.
Chemical Colour	Dark Green