
Tel: 01626 355177
Email: info@aukhygiene.com



100 Grit Sandscreen Discs - 16"

Variant code: 03-6016-5

The **100 Grit Sandscreen Floor Sanding Discs** are abrasive mesh discs designed for **floor sanding, surface preparation and refinishing** with compatible rotary floor machines. Available in **15" (381mm) and 16" (406mm)** diameters, these discs provide a practical solution for smoothing suitable floor surfaces and preparing them for subsequent finishing treatments.

Featuring an **open-mesh abrasive construction**, the sandscreen discs allow sanding dust and debris to pass through the mesh during operation, helping reduce abrasive clogging. The **100 grit abrasive grade** provides a medium sanding action suitable for surface refinement, reducing minor imperfections and carrying out intermediate sanding during floor restoration.

Designed for use with **compatible rotary floor sanding machines** and an appropriate drive pad, these discs support controlled sanding across suitable flooring surfaces. With a choice of **15-inch and 16-inch sizes**, operators can select the appropriate diameter for their equipment and floor maintenance requirements.

Product Features

- **100 grit abrasive sandscreen discs** for floor sanding and surface preparation
- Available in **15" (381mm) and 16" (406mm)** diameters
- **Open-mesh abrasive design** helps reduce clogging from sanding dust
- **Medium grit abrasive action** for controlled surface refinement
- Suitable for **intermediate sanding and floor refinishing**
- Helps smooth **minor surface imperfections** on compatible flooring
- Can assist with **light surface finish removal** where appropriate
- Designed for **compatible rotary floor sanding machines**
- Used with a suitable **sandscreen drive pad**
- Suitable for **professional floor**

Tel: 01626 355177
Email: info@aukhygiene.com

restoration and maintenance

Product Benefits

- **100 grit abrasive action helps smooth and prepare floor surfaces before refinishing treatments**
- **Open-mesh construction allows sanding dust to pass through, helping minimise abrasive clogging**
- **Available in 15-inch and 16-inch diameters to suit different compatible floor sanding machines**
- **Medium abrasive grade** provides a balance between material removal and surface refinement
- Helps achieve a **more consistent surface finish** during floor preparation
- Supports **intermediate sanding stages** in floor restoration projects
- **Mesh abrasive design** helps maintain contact with the working surface
- Provides a practical abrasive option for **professional floor maintenance**

Technical Characteristics

- **Product Type:** Sandscreen Floor Sanding Disc
- **Abrasive Grade:** 100 Grit
- **Grit Classification:** Medium
- **Available Diameters:** 15" and 16"
- **15" Diameter:** 381mm
- **16" Diameter:** 406.4mm
- **Construction:** Open-Mesh Abrasive Screen
- **Primary Application:** Floor Sanding and Surface Preparation
- **Additional Applications:** Intermediate Sanding and Surface Refinement
- **Machine Compatibility:** Appropriately Sized Rotary Floor Sanding Machines
- **Required Accessory:** Compatible Sandscreen Drive Pad
- **Available Variants:** 15" - 100 Grit and 16" - 100 Grit

Applications

The **100 Grit Sandscreen Floor Sanding Discs** are suitable for **floor sanding, surface preparation and refinishing** in commercial, industrial and professional maintenance environments. They can be used on suitable **wooden floors and compatible floor finishes** for intermediate sanding, smoothing minor surface imperfections

Tel: 01626 355177
Email: info@aukhygiene.com

and preparing surfaces for subsequent finishing treatments. Available in **15" and 16" diameters**, the discs are intended for use with appropriately sized **rotary floor sanding machines and compatible drive pads**. Always follow the flooring manufacturer's recommendations and select the correct abrasive grade for the surface being treated.

Property	Value
Pad Size	16 inches (approx. 406mm)