Tel: 01626 355177
Email: info@aukhygiene.com



Heavyweight Latex Rubber Gauntlet 600mm - L - Black

Variant code: 22-A803BKRL

Heavyweight Latex Rubber Gauntlet (600mm) – Professional Grade Protection

When the job demands more than just a standard glove, the **Heavyweight Latex Rubber Gauntlet (600mm)** steps in to provide ultimate forearm and upper-arm security. This industrial-strength gauntlet is specifically engineered for high-risk environments where **superior abrasion resistance** and **extended liquid protection** are non-negotiable.

Measuring a substantial **600mm (60cm) in length** with a robust **1.3mm thickness**, this black latex gauntlet offers a formidable barrier against mechanical hazards and industrial substances. Whether you are submerged in deep tanks or handling abrasive materials, this gauntlet is the gold standard for **heavy-duty hand protection**.

Key Features

- **Extra-Long 600mm Reach:** Provides comprehensive protection up to the shoulder area, making it the **best long-sleeve gauntlet** for deep-immersion tasks.
- **1.3mm Ultra-Thick Latex:** Offering enhanced durability and **maximum tear resistance**, this heavyweight construction outlasts standard rubber gloves in punishing conditions.
- **Exceptional Abrasion Resistance:** Built to withstand rough surfaces in the **cement, ceramic, and tile industries**.
- **Chemical & Liquid Barrier:** Naturally resistant to many water-based chemicals, acids, and alkalis, ensuring **safe chemical handling**.
- **Ergonomic Design:** Despite its thickness, the natural latex provides a degree of flexibility that allows for a secure, comfortable grip during intensive labour.

Tel: 01626 355177
Email: info@aukhygiene.com

Versatile Industrial Applications

This gauntlet is the preferred choice for professionals across various sectors:

- **Chemical Processing:** Safe handling of aggressive liquids and industrial cleaning agents.
- **Construction & Masonry:** Ideal for mixing **cement** and mortar where skin contact must be strictly avoided.
- **Ceramics & Mining:** Handles abrasive clays and raw minerals with ease.
- **Agriculture & Sanitation:** Perfect for high-pressure washing and deep-tank maintenance.

Pro-Tips for Maximum Safety

- **The "Cuff Fold" Trick:** If you are working with liquids overhead, fold the top inch of the gauntlet outward. This creates a "drip cup" that prevents liquids from running down your arm and inside the glove.
- **Inner Liner Comfort:** Because these are unlined heavyweight latex, wearing a thin cotton stockinette liner underneath can help absorb perspiration and make the gauntlets easier to don and doff.
- **Visual Inspection:** Always perform an "air test" (roll the cuff down to trap air and squeeze) before use to ensure there are no pinholes or punctures.

Frequently Asked Questions (FAQs)

Q: Is the 600mm version more durable than the 440mm version?A: Yes. While both are "heavyweight," the 600mm version features a **1.3mm thickness** compared to the 1.1mm thickness of the shorter model, providing increased mechanical strength.

Q: Can these be used with oil-based chemicals?A: Natural latex is excellent for water-based chemicals and acids; however, it can degrade when exposed to petroleum-based oils or grease. For oil-specific tasks, a nitrile gauntlet

Tel: 01626 355177
Email: info@aukhygiene.com

may be more suitable.

Q: Are these gloves reusable?A: Absolutely. These are designed for **long-term industrial use**. Simply wash the exterior after use, hang them to dry completely (cuff down), and store them away from direct sunlight to prevent "sun-cracking."

Why Choose Our Heavyweight Latex Gauntlets?

In the world of **Personal Protective Equipment (PPE)**, thickness and length equate to safety. By choosing the 600mm Heavyweight Latex Gauntlet, you are investing in **professional-grade safety gear** that meets the rigorous demands of the modern industrial workplace. Its combination of **high-density latex** and extended reach makes it an essential tool for high-risk manual labour.

Property	Value
Colour	Black
Size	Large