



## Nilfisk VL500 55-2 Wet & Dry Vacuum Cleaner – 220-240V

Variant code: 16-107405173

Nilfisk VL500 55-2 is a **professional wet and dry vacuum cleaner** engineered to deliver exceptional performance, reliability and a **low total cost of ownership**. Designed for demanding commercial and industrial cleaning applications, the VL500 combines powerful suction with innovative features that make everyday cleaning tasks **faster, safer and more efficient**.

At the heart of the machine is Nilfisk's **unique dual filtration system**, allowing wet and dry filters to operate simultaneously without requiring filter changes between applications. Each dedicated filter is optimised for either wet or dry debris, ensuring maximum cleaning performance while reducing downtime. This fail-safe filtration design allows operators to move seamlessly between wet and dry cleaning tasks, increasing productivity across a wide range of environments.

The **55-litre container** features Nilfisk's **Ergo Tipping System**, enabling effortless emptying by transferring the container's weight for safer handling, even when full of liquid. The motor head remains in place during container emptying, eliminating unnecessary lifting and reducing the risk of damaging key machine components. A hinged motor head also allows quick and easy access for filter maintenance, helping reduce service time and extend machine life.

Developed in partnership with professional cleaning customers, the VL500 55-2 is ideally suited for **hotels, contract cleaners, educational facilities, exhibition and conference centres, public buildings, manufacturing plants and industrial environments**, where dependable wet and dry cleaning performance is essential.

---

### Product Features

- Professional wet & dry vacuum cleaner
- 55-litre collection container
- 220-240V power supply
- Unique dual filtration system
- Dedicated wet and dry filters operate simultaneously
- No filter changes required between wet and dry applications

- **Ergo Tipping System** for effortless container emptying
- Container empties without removing the motor head
- Hinged motor head for quick filter access
- Heavy-duty commercial construction

---

## Product Benefits

- **Switch instantly between wet and dry cleaning without changing filters**
- **Reduces downtime and improves cleaning productivity**
- **Easy, ergonomic emptying of full liquid containers**
- Protects critical machine components during emptying
- Simplifies filter maintenance and servicing
- Low total cost of ownership through durable design
- Reliable performance in demanding commercial environments

---

## Technical Characteristics

- Product Type: **Wet & Dry Vacuum Cleaner**
- Brand: **Nilfisk**
- Model: **VL500 55-2**
- Voltage: **220-240V**
- Container Capacity: **55 Litres**
- Filtration System: Dual Wet & Dry Filtration
- Container Emptying: Ergo Tipping System
- Motor Head: Hinged Design
- Application: Wet & Dry Commercial Vacuuming
- Construction: Professional Heavy-Duty Design

---

## Applications

Nilfisk VL500 55-2 is ideal for **contract cleaning companies, hotels, schools, universities, exhibition and conference centres, healthcare facilities, public buildings, warehouses, manufacturing plants and industrial sites.** Designed to handle both **wet spills and dry debris without changing filters**, it provides an efficient, reliable cleaning solution for demanding commercial and industrial environments where productivity and ease of use are essential.

| Property         | Value                                                                                                                                                                                                                                    |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Capacity (L)     | 55                                                                                                                                                                                                                                       |
| Cable Length (m) | 10                                                                                                                                                                                                                                       |
| Weight (kg)      | 27.5                                                                                                                                                                                                                                     |
| Voltage          | 220–240                                                                                                                                                                                                                                  |
| Area of Use      | Hotels, Contract Cleaning, Education Facilities, Exhibition Centres, Conference Centres, Public Buildings, Manufacturing Facilities, Industrial Premises.                                                                                |
| How to Use       | Select the appropriate filter, connect the hose and accessories, switch on the vacuum, and clean the required surface. Empty the container using the Ergo Tipping system or drain hose after use. Check and clean the filters regularly. |
| Frequency        | 50 Hz                                                                                                                                                                                                                                    |
| Power Rating (W) | 2500 W                                                                                                                                                                                                                                   |

## Gallery

