



Prochem Steemeasy Extraction Cleaner

Variant code: 16-PR200

The **Prochem Steemeasy** is a professional **carpet and upholstery extraction cleaner** designed for both domestic and commercial cleaning applications. Combining a powerful **200 PSI diaphragm pump** with a **3-stage vacuum**, the machine delivers professional extraction performance in a compact and practical design.

The Steemeasy features a generous **22L solution tank** and **18L recovery tank**, together with an internal re-circulating pressure system. Its durable **noise-proof rotational moulded construction** helps control operating noise, while top-mounted controls and hose connections provide convenient access during professional cleaning tasks.

Designed as a complete extraction cleaning package, the Steemeasy is supplied with a **7.6m hose assembly** and **30cm single-jet Glidemaster stainless steel carpet wand**. Practical features including an **automatic electronic waste tank float switch**, clear recovery tank lid, lint and hair collection filter bag, stair-climbing rear wheels and lockable front castors make it well suited to regular professional use.

Product Features

- Professional carpet and upholstery extraction cleaner
- 200 PSI (13.7 bar) diaphragm pump with internal re-circulating pressure system
- Powerful 3-stage bypass vacuum motor
- 22L solution tank and 18L recovery tank
- Durable noise-proof rotational moulded construction
- Automatic electronic waste tank float switch helps protect the vacuum system
- Waste tank lint and hair collection filter bag
- Clear-view twist-off recovery tank lid for convenient inspection
- Convenient top-mounted controls and hose connections
- 25cm non-marking stair-climbing rear wheels

- **10cm lockable, non-marking front castors** for secure transportation
- Supplied with a **7.6m hose assembly**
- Supplied with a **30cm single-jet Glidemaster stainless steel carpet wand**
- **Optional heater** available for compatible applications

Product Benefits

- **200 PSI solution pressure and a 3-stage vacuum provide professional extraction performance for carpet and upholstery cleaning**
- **22L solution capacity supports productive cleaning while the separate 18L recovery tank collects extracted waste water**
- **Complete hose and stainless steel carpet wand package provides the essential equipment for carpet extraction cleaning**
- Noise-proof rotational moulded construction combines **durability with reduced operating noise**
- Automatic electronic waste tank shut-off helps **protect the vacuum motor from recovered water**
- Top-mounted connections and controls provide **convenient access during operation**
- Stair-climbing rear wheels and lockable front castors support **easier manoeuvring and safer vehicle transportation**
- Suitable for both **domestic and commercial cleaning jobs**, providing flexibility for professional cleaning contractors and in-house teams

Technical Characteristics

- **Product Type:** Professional Carpet & Upholstery Extraction Cleaner
- **Solution Tank Capacity:** 22L
- **Recovery Tank Capacity:** 18L
- **Solution Pressure:** 13.7 bar (200 PSI)
- **Vacuum Motor:** 1 x 3-Stage Bypass
- **Water Lift:** 3556mm (140")
- **Hose Assembly:** 7.6m (25ft)
- **Carpet Wand:** 30cm (12") Single-Jet Glidemaster Stainless Steel Wand
- **Tank Construction:** Polyethylene with Aluminium Base Plate
- **Rear Wheels:** 25cm (10") Non-Marking

- Stair-Climbing Wheels
- **Front Castors:** 10cm (4") Lockable, Non-Marking
- **Power Cable:** 7.6m (25ft)
- **Machine Weight:** 31kg
- **Dimensions:** 75 x 54 x 50cm (H x L x W)
- **Heater:** Optional
- **Warranty:** 2 Years on Tank / 1 Year on Parts

Applications

The **Prochem Steemeasy** is designed for professional **carpet and upholstery spray extraction cleaning** across domestic and commercial environments. Its combination of **200 PSI solution pressure, 3-stage vacuum performance and 22L solution capacity** makes it suitable for cleaning carpets in homes, offices, hospitality premises, educational facilities and other commercial environments. With the appropriate optional hand tool, the machine can also be configured for **upholstery cleaning**, providing a versatile extraction system for professional cleaning contractors and in-house cleaning teams.

Property	Value
Cable Length (m)	7.6
Weight (kg)	31
Solution Tank Capacity (L)	22
Recovery Tank Capacity (L)	18
Vacuum Motors	1 x 3 stage by-pass
Dimensions	75 x 54 x 50 cm (h x l x w)