
Tel: 01626 355177
Email: info@aukhygiene.com



Tennant Buffing Pad 20" x 14" Melamine Foam Pads - Box of 5

Variant code: 03-122800

The **Tennant Melamine Foam Floor Cleaning Pads - 20" x 14"** are professional floor maintenance pads designed for **deep cleaning, scuff mark removal and restoring the appearance of hard floors**. Manufactured using **open-cell melamine foam**, these rectangular pads provide effective mechanical cleaning to help remove stubborn dirt, black marks and surface contamination. Suitable for use on a variety of hard flooring materials, they offer a practical solution for commercial and industrial floor maintenance.

The pads feature a **melamine foam cleaning surface** laminated to a nonwoven backing made from **100% recycled polyester fibres**. This construction combines effective cleaning performance with a backing designed for attachment to compatible floor cleaning equipment. The melamine foam helps clean heavily soiled floors, including shallow-grouted surfaces, while supporting **floor finish preservation** when used correctly. Suitable flooring includes **vinyl composition tile (VCT), terrazzo, ceramic tiles, porcelain tiles, epoxy and concrete**.

Designed specifically for **wet floor cleaning**, these pads must be thoroughly saturated with water before use. Both the pad and floor should remain wet throughout cleaning to reduce friction and prevent premature wear. For the specified application, use with **compatible low-speed cleaning machines or scrubber dryers operating at 100–200 RPM**, with particular suitability for standard orbital scrubbers. Supplied in a convenient **box of 5 pads**, they are ideal for professional cleaning contractors, facilities management teams and regular hard floor maintenance programmes.

Product Features

- **Professional melamine foam floor cleaning pads** for deep cleaning and

Tel: 01626 355177
Email: info@aukhygiene.com

floor restoration
- **20" x 14" rectangular dimensions** for compatible floor cleaning equipment
- **Open-cell melamine foam** provides effective mechanical cleaning action
- **Nonwoven backing made from 100% recycled polyester fibres**
- Designed to remove **stubborn dirt, black marks and scuff marks**
- Suitable for **heavily soiled hard floors**
- Helps clean **shallow grout lines and textured floor surfaces**
- Suitable for **VCT, terrazzo, ceramic tiles, porcelain tiles, epoxy and concrete**
- **Wet-use only** - both pad and floor must remain saturated during operation
- Can be used with **water or suitable neutral cleaning solutions**
- Supports effective cleaning **without the need for harsh chemicals**
- Best suited for **compatible standard orbital scrubbers**
- Suitable for the specified **100–200 RPM low-speed cleaning application**
- Designed to clean suitable floors **without removing the existing floor finish** when used correctly
- Supplied in a **box of 5 pads**

Product Benefits

- **Open-cell melamine foam effectively removes stubborn black marks, scuffs and ingrained dirt from suitable hard flooring**
- **Wet cleaning action helps restore floor appearance without relying on aggressive stripping chemicals**
- **Nonwoven backing made from 100% recycled polyester fibres supports a more resource-conscious floor maintenance solution**
- **Effective mark removal** helps improve the appearance of heavily trafficked commercial floors
- **Versatile surface compatibility** supports cleaning across several common hard flooring materials
- **Water-based cleaning capability** can reduce the need for additional chemical cleaning products
- **Floor finish preservation** helps maintain suitable existing finishes during routine cleaning
- **Rectangular pad design** provides compatibility with appropriately sized

Tel: 01626 355177
Email: info@aukhygiene.com

orbital floor cleaning equipment
- **Low-speed cleaning suitability** supports controlled cleaning with compatible machines
- **Correct wet operation** helps reduce friction and premature pad wear
- **Box of 5 pads** provides a convenient supply for professional floor maintenance operations

Technical Characteristics

- **Brand:** Tennant
- **Product Type:** Melamine Foam Floor Cleaning Pad
- **Pad Shape:** Rectangular
- **Dimensions:** 20" x 14" (508 x 355.6mm)
- **Cleaning Material:** 100% Open-Cell Melamine Foam
- **Backing Material:** Nonwoven Polyester
- **Backing Composition:** 100% Recycled PET Polyester Fibres
- **Pad Colour:** White Melamine Foam with Brown Nonwoven Backing
- **Total Pad Thickness:** Approximately 0.9" (22.9mm)
- **Melamine Layer Thickness:** Approximately 0.6" (15.2mm)
- **Nonwoven Backing Thickness:** Approximately 0.3" (7.6mm)
- **Lamination:** Water-Based Adhesive
- **Recommended Machine Type:** Compatible Standard Orbital Scrubbers
- **Specified Operating Speed:** 100–200 RPM for Compatible Low-Speed Cleaning Machines
- **Manufacturer's Stated Maximum Speed:** Up to 350 RPM with Suitable Equipment
- **Cleaning Method:** Wet Use Only
- **Suitable Cleaning Medium:** Water, Neutral Cleaning Solution or Suitable Degreaser
- **Suitable Floor Types:** VCT, Terrazzo, Ceramic Tiles, Porcelain Tiles, Epoxy and Concrete
- **Primary Application:** Hard Floor Cleaning and Restoration
- **Additional Applications:** Black Mark Removal, Scuff Removal and Heavy Soil Cleaning
- **Pack Quantity:** 5 Pads
- **Packaging:** Box of 5

Applications

Tel: 01626 355177
Email: info@aukhygiene.com

The **Tennant Melamine Foam Floor Cleaning Pads - 20" x 14" - Box of 5** are designed for **wet cleaning, stubborn mark removal and hard floor restoration** in environments such as **schools, hospitals, offices, hotels, shopping centres, retail premises, warehouses and commercial buildings**. They are particularly effective for cleaning heavily soiled **VCT, terrazzo, ceramic and porcelain tiles, epoxy and concrete flooring**, including surfaces with shallow grout lines. For the specified cleaning application, use with a compatible **low-speed floor cleaning machine or scrubber dryer operating at 100–200 RPM**, ensuring the machine is suitable for the rectangular pad format. **Always saturate both the pad and floor with water before starting and keep them wet throughout use. Never operate the melamine pad dry**, as the increased friction can cause rapid wear and significantly shorten its working life. Fit the pad with the **nonwoven backing facing the machine and the white melamine foam facing the floor**. Avoid rough, uneven surfaces and excessive machine pressure, and follow the flooring and equipment manufacturers' recommendations to achieve effective cleaning while protecting the floor finish.

Property	Value
Dimensions	20" x 14" (508 x 355.6 mm)
Pack Size	Box of 5