Tel: 01626 355177
Email: info@aukhygiene.com



Windmill Fastrack - Rinse Free Polish Stripper - 5L

Variant code: 03-816

Windmill Fastrack is a rinse free polish stripper designed to deliver **fast and effective removal of floor polish and coatings** while simplifying the floor preparation process. As part of the Windmill professional floorcare range, it is formulated to break down and lift existing polish layers efficiently, preparing floors for re-coating or refinishing.

The rinse-free formulation eliminates the need for additional rinsing stages, helping to reduce labour time and water usage during floor maintenance. It works by penetrating and dissolving built-up polish, allowing for easy removal and leaving the surface ready for further treatment. This makes it particularly suitable for use in environments where quick turnaround times are essential.

Windmill Fastrack is designed for use on compatible hard floor surfaces and can be applied using standard stripping equipment. Its formulation supports efficient cleaning operations, enabling users to remove old finishes thoroughly while maintaining control over the process. By preparing the surface effectively, it helps ensure improved adhesion and performance of subsequent floor coatings.

Product Features

- Rinse-free **floor polish stripper**
- Removes **built-up polish and coatings efficiently**
- Eliminates need for rinsing after use
- Suitable for a range of **hard floor surfaces**
- Supports fast and effective floor preparation
- Compatible with standard stripping equipment

Product Benefits

- Reduces labour time during floor stripping
- Minimises water usage with rinse-free formulation
- Improves efficiency of maintenance processes

Tel: 01626 355177
Email: info@aukhygiene.com

- Prepares floors for better adhesion of new coatings
- Suitable for high-traffic commercial environments
- Simplifies overall floorcare routines

Technical Characteristics

- Designed for **professional floor stripping applications**
- Suitable for use on compatible hard floor surfaces
- Applied using manual or machine stripping methods
- Breaks down layers of polish for easy removal
- Requires appropriate surface preparation before re-coating
- Use in accordance with manufacturer guidelines

Applications

Windmill Fastrack is suitable for use in **commercial, industrial and institutional environments**, including offices, schools, hospitals and retail spaces. It is particularly effective in areas where **frequent floor maintenance and re-coating** are required. Its rinse-free capability makes it ideal for environments where **efficiency and reduced downtime** are important, allowing floors to be stripped and prepared quickly for new finishes.

Property	Value
Fragrance	Characteristic
pH	12.5
Area of Use	Polished Hard Floors
Dosing Chart: 10L Dilution	dosing:30
Dosing Chart: 5L Dilution	dosing:15
CLP	corrosive, irritant
How to Use	Mop and leave for 5-10 minutes. Scrub floor with a slow speed rotary machine or scrubber dryer with black pad. Remove slurry with wet vacuum or scrubber dryer, reapply as necessary. Rinse thoroughly with water to neutralise before reapplying polish.
Chemical Colour	Blue
Mop Stripping	Dilute Fastrack 1:5 with water. Mop the floor liberally. Leave for 5-10 minutes. Using the mop agitate with a fresh solution and leave for a further 5 minutes. Remove slurry with a mop or wet pickup.

Tel: 01626 355177
Email: info@aukhygiene.com

Property	Value
Scrubbing Machine	Dilute Fastrack 1:10 with water. Mop the floor liberally. Leave for 5-10 minutes and then scrub with a slow machine fitted with a black pad. Remove slurry with a mop or wet pickup.
Spray Stripping	Dilute Fastrack 1:20 with water. Spray lightly ahead of machine fitted with a suitable pad at medium speed.