



Windmill HD Descaler – Rapid Periodic Descaler – 5L

Variant code: 05-851

Windmill HD Descaler is a rapid periodic descaler designed to deliver **powerful limescale removal and deep cleaning performance** in demanding environments. As part of the Windmill professional cleaning range, it is formulated for use where heavy scale build-up requires a strong and effective solution.

This very strong descaler features a **super strength formulation** that removes stubborn limescale deposits quickly and efficiently. It is particularly suited to **hard water areas** and for renovating older toilets where scale accumulation is more severe. In addition to descaling, the formulation helps **eliminate odours at source**, leaving a fresh bouquet fragrance after use.

For best results, surfaces should be slightly wet before application. Apply the descaler sparingly and spread evenly using a brush or scourer, allowing it to dwell for up to 15 minutes depending on the level of build-up. Agitate the surface, remove residue and rinse thoroughly. For heavy deposits, reapplication may be required.

Due to its strength, the product must not be used on **acid-sensitive materials**, including enamel, chrome, stainless steel, marble, terrazzo, stone, linoleum or plastic floors. Careful handling and correct application are essential to ensure safe and effective use. The product is available in **1L and 5L formats**, allowing flexibility for both smaller tasks and high-usage environments.

Product Features

- Rapid periodic **descaler for heavy-duty applications**
- Super strength formulation for **stubborn limescale removal**
- Suitable for **hard water areas and deep cleaning tasks**
- Helps eliminate odours at source
- Leaves a **fresh bouquet fragrance**
- Available in **multiple sizes for flexible use**

Product Benefits

- Restores surfaces affected by heavy limescale build-up
- Improves hygiene and cleanliness in washroom areas
- Provides fast and effective descaling results
- Suitable for periodic maintenance and renovation tasks
- Enhances overall cleanliness and freshness
- Offers flexibility for different usage requirements

Technical Characteristics

- Designed for **periodic descaling applications**
- Requires application to **pre-wet surfaces**
- Dwell time of up to 15 minutes depending on build-up
- May require agitation and repeat application for heavy scale
- Must not be used on **acid-sensitive materials**
- Requires thorough rinsing after use

Applications

Windmill HD Descaler is suitable for use in **commercial, industrial and institutional environments**, particularly in areas affected by hard water and heavy limescale build-up. It is ideal for **toilet renovation, washroom maintenance and periodic deep cleaning**, where standard cleaners are insufficient. Its powerful formulation makes it especially effective in restoring heavily scaled surfaces while maintaining hygiene and cleanliness.

| Property | Value |
|-------------|--|
| Fragrance | Characteristic |
| Colour | Blue |
| Dilution | Neat |
| pH | 1 |
| Volume (L) | 5 |
| Area of Use | Suitable for use in toilets, urinals, and on acid-resistant hard surfaces where heavy limescale, organic deposits, and soiling need to be removed. Ideal for periodic descaling in washrooms and sanitary areas. |
| CLP | corrosive, environmental |

Property**Value**

How to Use

Make the toilet/surface slightly wet, apply the descaler sparingly and spread evenly with a brush/scourer, then leave for 5-10 minutes depending on build-up. Use a brush or scourer to agitate then collect slurry. DO NOT USE ON METAL.